



NOVELTIES 2015

Detailed information:

Coldservice Sp. z o.o.

Rynek Kleparski 4/19, Kraków

mobile: +48 502 675 543

info@coldservice.pl

Work with us... we can write that:

- WORK GLOBALLY, because the fact is that we exported our unique devices already to 50 countries around the world,
- We are CREATIVES, and yes, design has always been our strong point,
- Our QUALITY OF is not indestructible, and some of the equipment we give up to 5 years warranty,
- We do not have the drawbacks... We have! Do not do refrigerators made of... cardboard,
- We hire professional DESIGNERS – they are capable of anything, so we create fridges that cools the boldest imagination... even when others give up ..

Our customers think about us warmly and it has not changed for years.

Warto z nami pracować... moglibyśmy napisać, że:

- DZIAŁAMY GLOBALNIE, bo faktem jest, że wyeksportowaliśmy nasze unikatowe urządzenia już do 50 krajów świata,
- jesteśmy KREATYWNI, i tak, design od zawsze był naszą mocną stroną,
- nasza JAKOŚĆ jest nie do zdarcia, a na niektóre urządzenia dajemy nawet 5 lat gwarancji,
- nie mamy wad... Mamy! Nie robimy lodówek z... kartonu,
- mamy SZTAB PROFESJONALNYCH PROJEKTANTÓW - są zdatni do wszystkiego, dzięki czemu tworzymy lodówki, które chłodzą z najodważniejszych fantazji... nawet gdy inni się poddają..


Nasi klienci myślą o nas ciepło i to się nie zmienia od lat.



technical information

dlite beetle II 600

- **technical info:**
- Width A [mm]: 600
- Depth [mm]: 680
- Height [mm]: 1473
- Climate class: III
- Temperature range [°C]: +2 – +5
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 320
- Power consumption [kW/24 h]: 10,3
- Dimensions of shelves:
- Width [mm]: 507
- Depth [mm]: 293/316/349
- Dimensions of such:
- Width [mm]: 524
- Depth [mm]: 402
- Transportation :
- Truck 13,6 [pc]: 57
- Container 40' [pc]: 51



novelty 2015

dlite beetle II 600






technical information

dlite beetle II 900

- **technical info:**
- Width A [mm]: 900
- Depth [mm]: 680
- Height [mm]: 1473
- Climate class: III
- Temperature range [°C]: +2 – +5
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 870
- Power consumption [kW/24 h]: 12,6
- Dimensions of shelves:
- Width [mm]: 807
- Depth [mm]: 293/316/349
- Dimensions of such:
- Width [mm]: 824
- Depth [mm]: 402
- Transportation :
- Truck 13,6 [pc]: 42
- Container 40' [pc]: 37



novelty 2015



dlite beetle II 900



technical information

Case Small flower

- **technical info:**
- Dimensions/International dimensions
- Width A [mm]: 1300/1200
- Depth [mm]: 710/406
- Height [mm]: 1488/767
- Climate class: III
- Temperature range [°C]: +2 – +5
- Defrosting: auto
- Refrigerant: R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 830
- Power consumption [kW/24 h]: 14,3
- Transportation :
- Truck 13,6 [pc]: 30
- Container 40' [pc]: 27



novelty 2015


case small flower





technical information **dlite 1000**

- **technical info:**
- Width A [mm]: **1000**
- Depth [mm]: **650**
- Height [mm]: **1400**
- Climate class: **III**
- Temperature range [°C]: **+2 – +8**
- Defrosting: **auto**
- Refrigerant: **R404a or R290**
- Voltage/frequency [V/Hz]: **230/50**
- Rated power [w]: **563**
- Power consumption [kW/24 h]: **9,1**
- Dimensions of shelves:
 - Width [mm]: **896**
 - Depth [mm]: **251**
- Dimensions bottom shelf:
 - Width [mm]: **896**
 - Depth [mm]: **281**
- Transportation:
 - Truck 13,6 [pc]: **52**
 - Container 40' [pc]: **48**
- Lighting [vertical + horizontal]: **LED**



novelty 2015


dlite 1000





technical information glass duet

- **technical info:**
- Width A [mm]: 450
- Depth [mm]: 650
- Height [mm]: 1490
- Climate class: III
- Temperature range [°C]: +2 – +5
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 420
- Power consumption [kW/24 h]: 9,3
- Transportation:
- Truck 13,6 [pc]: 100
- Container 40' [pc]: 85



novelty 2015 glass duet



version available
for flowers

Find us on facebook  #advertisingfridges

coldesign


Find us on facebook  #advertisingfridges

coldesign



technical information **glass 600**

- **technical info:**
- Width A [mm]: 600
- Depth [mm]: 600
- Height [mm]: 1876
- Climate class: III
- Temperature range [°C]: +2 – +5
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 520
- Power consumption [kW/24 h]: 7,8
- Dimensions of shelves:
- Width [mm]: 510
- Depth [mm]: 300
- Dimensions of such:
- Width [mm]: 534
- Depth [mm]: 413
- Transportation :
- Truck 13,6 [pc]: 63
- Container 40' [pc]: 57



novelty 2015 **glass 600**






technical information

glass 900

novelty 2015

glass 900

- **technical info:**
- Width A [mm]: 600
- Depth [mm]: 900
- Height [mm]: 1876
- Climate class: III
- Temperature range [°C]: +2 – +5
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 890
- Power consumption [kW/24 h]: 11,8
- Dimensions of shelves:
- Width [mm]: 810
- Depth [mm]: 300
- Dimensions of such:
- Width [mm]: 834
- Depth [mm]: 413
- Transportation :
- Truck 13,6 [pc]: 42
- Container 40' [pc]: 36







technical information

glass remote 500

- **technical info:**
- Width A [mm]: 800/1000/1200/1500/2000/2500
- Depth [mm]: 500
- Height [mm]: 2000
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 890
- Cooling power demand [W/m]: 1100
- Dimensions of shelves:
- Width [mm]: 710/910/1110/1410/1910/2410
- Depth [mm]: 260
- Dimensions of such:
- Width [mm]: 734/934/1134/1434/1934/2434
- Depth [mm]: 313
- Transportation :
- Truck 13,6 [pc]: 48/39/33/24/18/15
- Container 40' [pc]: 42/33/27/21/15/12



novelty 2015



glass remote 500



technical information

glass remote 700

- **technical info:**
- Width A [mm]: 800/1000/1200/1500/2000/2500
- Depth [mm]: 700
- Height [mm]: 2000
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 890
- Cooling power demand [W/m]: 1100
- Dimensions of shelves:
- Width [mm]: 710/910/1110/1410/1910/2410
- Depth [mm]: 400
- Dimensions of such:
- Width [mm]: 734/934/1134/1434/1934/2434
- Depth [mm]: 513
- Transportation :
- Truck 13,6 [pc]: 48/39/33/24/18/15
- Container 40' [pc]: 42/33/27/21/15/12



novelty 2015



glass remote 700



technical information

glass remote 900

- **technical info:**
- Width A [mm]: 800/1000/1200/1500/2000/2500
- Depth [mm]: 900
- Height [mm]: 2000
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 890
- Cooling power demand [W/m]: 1200
- Dimensions of shelves:
- Width [mm]: 710/910/1110/1410/1910/2410
- Depth [mm]: 560
- Dimensions of such:
- Width [mm]: 734/934/1134/1434/1934/2434
- Depth [mm]: 713
- Transportation :
- Truck 13,6 [pc]: 32/26/22/16/12/10
- Container 40' [pc]: 28/22/18/14/10/8



novelty 2015

glass remote 900








technical information

say cheese

say cheese

- **technical info:**
- Width A [mm]: 700
- Depth [mm]: 700
- Height [mm]: 2146
- Climate class: III
- Temperature range [°C]: +2 – +15
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 540
- Power consumption [kW/24 h]: 8,2
- Dimensions of shelves:
- Width [mm]: 610
- Depth [mm]: 400
- Dimensions of bottom:
- Width [mm]: 634
- Depth [mm]: 513
- Transportation:
- Truck 13,6 [pc]: 48
- Container 40' [pc]: 42




technical information

hj 600

novelty 2015

hj 600

- **technical info:**
- Width [mm]: 586
- Depth [mm]: 610
- Height [mm]: 2060
- Climate class: III
- Temperature range [°C]: +2 – +4
- Defrosting: auto
- Refrigerant: R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 380
- Power consumption [kW/24 h]: 4,2
- Dimensions of shelves:
 - Width [mm]: 500
 - Depth [mm]: 400
- Transportation :
 - Truck 13,6 [pc]: 72
 - Container 40' [pc]: 68



- illuminated canopy above the door
- cooling system: cassette solution inside
- available as outdoor

Find us on facebook  #advertisingfridges

coldesign

Find us on facebook  #advertisingfridges

coldesign




technical information

hj 900

novelty 2015

hj 900

- **technical info:**
- Width [mm]: 871
- Depth [mm]: 610
- Height [mm]: 2060
- Climate class: III
- Temperature range [°C]: +2 – +4
- Defrosting: auto
- Refrigerant: R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 580
- Power consumption [kW/24 h]: 6,2
- Dimensions of shelves:
- Width [mm]: 785
- Depth [mm]: 400
- Transportation :
- Truck 13,6 [pc]: 50
- Container 40' [pc]: 45



- illuminated canopy above the door
- cooling system: cassette solution inside
- available as outdoor

Find us on facebook #advertisingfridges





Find us on facebook #advertisingfridges



technical information

wave tower II 60

- **technical info:**
- Width A [mm]: 600
- Depth [mm]: 781
- Height [mm]: 2034
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a or R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 480
- Power consumption [kW/24 h]: 6,1
- Dimensions of shelves:
 - Width [mm]: 525
 - Depth [mm]: 380
- Dimensions of such:
 - Width [mm]: 525
 - Depth [mm]: 428
- Transportation :
 - Truck 13,6 [pc]: 54
 - Container 40' [pc]: 49



novelty 2015



wave tower II 60



technical information

wave tower II 70

- **technical info:**
- Width A [mm]: 700
- Depth [mm]: 781
- Height [mm]: 2034
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a or R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 530
- Power consumption [kW/24 h]: 7,8
- Dimensions of shelves:
- Width [mm]: 625
- Depth [mm]: 380
- Dimensions of such:
- Width [mm]: 625
- Depth [mm]: 428
- Transportation :
- Truck 13,6 [pc]: 51
- Container 40' [pc]: 45



novelty 2015



wave tower II 70



technical information

wave tower II 90

- **technical info:**
- Width A [mm]: 900
- Depth [mm]: 781
- Height [mm]: 2034
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a or R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 832
- Power consumption [kW/24 h]: 11,8
- Dimensions of shelves:
- Width [mm]: 825
- Depth [mm]: 380
- Dimensions of such:
- Width [mm]: 825
- Depth [mm]: 428
- Transportation :
- Truck 13,6 [pc]: 42
- Container 40' [pc]: 37



novelty 2015



wave tower II 90



technical information

wave tower II 100

- **technical info:**
- Width A [mm]: 1000
- Depth [mm]: 781
- Height [mm]: 2034
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a or R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 932
- Power consumption [kW/24 h]: 12,6
- Dimensions of shelves:
 - Width [mm]: 896
 - Depth [mm]: 380
- Dimensions of such:
 - Width [mm]: 896
 - Depth [mm]: 428
- Transportation :
 - Truck 13,6 [pc]: 39
 - Container 40' [pc]: 33



novelty 2015



wave tower II 100



technical information

wave tower II 120

- **technical info:**
- Width A [mm]: 1200
- Depth [mm]: 781
- Height [mm]: 2034
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a or R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1210
- Power consumption [kW/24 h]: 14,3
- Dimensions of shelves:
- Width [mm]: 1148
- Depth [mm]: 380
- Dimensions of such:
- Width [mm]: 1148
- Depth [mm]: 428
- Transportation :
- Truck 13,6 [pc]: 30
- Container 40' [pc]: 27



novelty 2015

wave tower II 120





technical information

wave tower II 150

novelty 2015

wave tower II 150

- **technical info:**
- Width A [mm]: 1500
- Depth [mm]: 781
- Height [mm]: 2034
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a or R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1360
- Power consumption [kW/24 h]: 16
- Dimensions of shelves:
- Width [mm]: 1360
- Depth [mm]: 380
- Dimensions of such:
- Width [mm]: 1369
- Depth [mm]: 428
- Transportation :
- Truck 13,6 [pc]: 25
- Container 40' [pc]: 22






technical information

wave tower II 200

- **technical info:**
- Width A [mm]: 2000
- Depth [mm]: 7811
- Height [mm]: 2034
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a or R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1574
- Power consumption [kW/24 h]: 17,9
- Dimensions of shelves:
- Width [mm]: 1896
- Depth [mm]: 380
- Dimensions of such:
- Width [mm]: 1896
- Depth [mm]: 428
- Transportation :
- Truck 13,6 [pc]: 19
- Container 40' [pc]: 17



novelty 2015

wave tower II 200



Find us on facebook  #advertisingfridges



Find us on facebook  #advertisingfridges



technical information



shiny grande 1000

novelty 2015

shiny grande 1000

technical info:

- Width A [mm]: 1000
- Depth [mm]: 925
- Height [mm]: 955
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 973
- Power consumption [kW/24 h]: 8,9
- Transportation :
 - Truck 13,6 [pc]: 26
 - Container 40' [pc]: 24



technical information



shiny grande 1200

novelty 2015

shiny grande 1200

technical info:

- Width A [mm]: 1200
- Depth [mm]: 925
- Height [mm]: 955
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1280
- Power consumption [kW/24 h]: 10,3
- Transportation:
 - Truck 13,6 [pc]: 22
 - Container 40' [pc]: 18



technical information



shiny grande 1500

novelty 2015

shiny grande 1500

technical info:

- Width A [mm]: 1500
- Depth [mm]: 925
- Height [mm]: 955
- Climate class: III
- Temperature range [°C]: +2 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1330
- Power consumption [kW/24 h]: 12,2
- Transportation :
 - Truck 13,6 [pc]: 18
 - Container 40' [pc]: 16



technical information



spectrum 1000

- **technical info:**
- Width [mm]: 1027
- Depth [mm]: 800
- Height [mm]: 956
- Climate class: III
- Temperature range [°C]: -24 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 480
- Power consumption [kW/24 h]: 5,2
- Transportation :
 - Truck 13,6 [pc]: 78
 - Container 40' [pc]: 66



novelty 2015

spectrum 1000



technical information



spectrum 1200

novelty 2015

spectrum 1200

● **technical info:**



- Width [mm]: 1200
- Depth [mm]: 800
- Height [mm]: 956
- Climate class: III
- Temperature range [°C]: -24 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1004
- Power consumption [kW/24 h]: 7,1
- Transportation:
 - Truck 13,6 [pc]: 26
 - Container 40' [pc]: 24



technical information
spectrum 1500

novelty 2015
spectrum 1500



- **technical info:**
- Width [mm]: 1500
- Depth [mm]: 800
- Height [mm]: 956
- Climate class: III
- Temperature range [°C]: -24 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1214
- Power consumption [kW/24 h]: 8,4
- Transportation :
 - Truck 13,6 [pc]: 24
 - Container 40' [pc]: 22



technical information

shiny freezer 1000

- **technical info:**
- Width [mm]: 1027
- Depth [mm]: 800
- Height [mm]: 956
- Climate class: III
- Temperature range [°C]: -24 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 480
- Power consumption [kW/24 h]: 5,2
- Transportation :
- Truck 13,6 [pc]: 78
- Container 40' [pc]: 66



novelty 2015



shiny freezer 1000



technical information

shiny freezer 1200

- **technical info:**
- Width [mm]: 1200
- Depth [mm]: 800
- Height [mm]: 956
- Climate class: III
- Temperature range [°C]: -24 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1004
- Power consumption [kW/24 h]: 7,1
- Transportation :
- Truck 13,6 [pc]: 26
- Container 40' [pc]: 24



novelty 2015



shiny freezer 1200



technical information

shiny freezer 1500

- **technical info:**
- Width [mm]: 1500
- Depth [mm]: 800
- Height [mm]: 956
- Climate class: III
- Temperature range [°C]: -24 – +8
- Defrosting: auto
- Refrigerant: R404a
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 1214
- Power consumption [kW/24 h]: 8,4
- Transportation :
- Truck 13,6 [pc]: 24
- Container 40' [pc]: 22



novelty 2015

shiny freezer 1500



technical information



shiny 45 Impuls

novelty 2015

shiny 45 Impuls

technical info:

- Width [mm]: 650
- Depth [mm]: 450
- Height [mm]: 1010
- Climate class: III
- Temperature range [°C]: +2 – +5
- Defrosting: auto
- Refrigerant: R290
- Voltage/frequency [V/Hz]: 230/50
- Rated power [w]: 200
- Power consumption [kW/24 h]: 3,6
- Transportation :
 - Truck 13,6 [pc]: 100
 - Container 40' [pc]: 95



Find us on facebook  #advertisingfridges



Find us on facebook  #advertisingfridges

